

WM 0713966	Order number: 0712577	
Version 8.6	Revision Date 09.04.2023	Print Date 25.04.2023
SECTION 1: Identification of the sub	ostance/mixture and of the company/unde	ertaking

1.1 Product identifier

Trade name	: MANUDISH ORIGINAL
UFI	: T261-Y0V0-500Q-TV4P

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	: Cleaning agent	

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company	: Tana Chemie GmbH
	Rheinallee 96
	55120 Mainz
Telephone	: +49613196403
Telefax	: +4961319642414
E-mail address	: Produktsicherheit@werner-mertz.com
Responsible/issuing person	
Contact person	: Product development / product safety

1.4 Emergency telephone number

112

Centru za kontrolu otrovanja u Zagrebu na tel. (01) 2348 342

+49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H319	Causes serious eye irritation.
Precautionary statements	:	P102 Prevention:	Keep out of reach of children.
		P280 Response:	Wear protective gloves/ eye protection.
			BIF IN EYES: Rinse cautiously with water for



MANUDISH ORIGINAL Order number: 0712577 WM 0713966 Order number: 0712577 Version 8.6 Revision Date 09.04.2023 Print Date 25.04.2023 Several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/attention. Disposal: P501 Dispose of container into the collection of recyclables only when it is completely empty.

Safety data sheet available on request.

2.3 Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Aqueous surfactant solution.

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3 500-234-8 01-2119488639-16	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412 	>= 5 - < 10
1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N- (C8-18 and C18-unsatd. acyl) derivs., hydroxides, inner salts	147170-44-3 931-333-8 01-2119489410-39	Eye Dam. 1; H318 Aquatic Chronic 3; H412 specific concentration limit Eye Irrit. 2; H319 > 4 - 10 % Eye Irrit. 1; H318 > 10 %	>= 2,5 - < 3
D-Glucopyranose, oligomeric, C10- 16-alkyl glycosides	110615-47-9 600-975-8 01-2119489418-23	Skin Irrit. 2; H315 Eye Dam. 1; H318 	>= 1 - < 2



MANUDISH ORIGINAL WM 0713966 Order number: 0712577 Version 8.6 Revision Date 09.04.2023 Print Date 25.04.2023

CTION 4: First aid measures	
1 Description of first aid measure	?S
General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. If symptoms persist, call a physician.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Protect unharmed eye. If easy to do, remove contact lens, if worn. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.
If swallowed	 Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.
2 Most important symptoms and	effects, both acute and delayed
Symptoms	: Irritation
Risks	: No information available.
3 Indication of any immediate me	dical attention and special treatment needed
Treatment	: For specialist advice physicians should contact the Poisons Information Service.
SECTION 5: Firefighting measu	res
5.1 Extinguishing media	
Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
5.2 Special hazards arising from th	e substance or mixture

Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	No hazardous combustion products are known
5.3 Advice for firefighters Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.



WM 0713966	Order number: 0712577	
Version 8.6	Revision Date 09.04.2023	Print Date 25.04.2023
Further information	 Collect contaminated fire extinguishing w not be discharged into drains. Fire residues and contaminated fire extir disposed of in accordance with local region 	nguishing water must be

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Personal precautions : Use personal protective equipment. Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions

: Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling		
Advice on safe handling	:	Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, incl	udiı	ng any incompatibilities
Requirements for storage areas and containers	:	Store in original container. Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container.
Further information on storage stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Cleaning agent



WM 0713966 Order number: 0712577 Version 8.6 Revision Date 09.04.2023 Print Date 25.04.2023 **SECTION 8: Exposure controls/personal protection** 8.1 Control parameters Contains no substances with occupational exposure limit values. 8.2 Exposure controls Personal protective equipment Eye/face protection If splashes are likely to occur, wear: : Tightly fitting safety goggles Hand protection Material For prolonged or repeated contact use protective gloves. : It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of protection. Remarks Take note of the information given by the producer concerning : permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Skin and body protection ÷ not required under normal use Respiratory protection Not required; except in case of aerosol formation. • Recommended Filter type:

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

ABEK-P3-filter



rsion 8.6	Revision Date 09.04.2023	Print Date 25.04.202
Appearance	: liquid	
Colour	: green	
Odour	: neutral	
Odour Threshold	: No data available	
рH	: ca. 5,2, 100 % at 20 °C	
Melting point/range	: No data available	
Boiling point/boiling range	: No data available	
Flash point	: does not flash	
Evaporation rate	: No data available	
Flammability (solid, gas)	: No data available	
Flammability (liquids)	: No data available	
Burning rate	: No data available	
Lower explosion limit	: No data available	
Upper explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Relative density	: No data available	
Density	: ca. 1,020 g/cm3	
Water solubility	: soluble	
Solubility in other solvents	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Ignition temperature	: No data available	
Thermal decomposition	: No data available	
Viscosity, dynamic	: ca. 500 mPa.s at 20 °C	
Viscosity, kinematic	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions. No dangerous reaction known under conditions of normal use.



	Order number: 0712577	
	Revision Date 09.04.2023	Print Date 25.04.2023
d applie	d as directed.	
tions		
:	Stable under recommended storage conditions. No decomposition if used as directed.	
:	No data available	
:	No data available	
oducts	6	
	tions : : :	Revision Date 09.04.2023 d applied as directed. etions : Stable under recommended storage conditions. No decomposition if used as directed. : No data available

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Our company is strongly against animal testing. Our company does not place any orders for animal testing for the finished product or the ingredients. However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

Acute toxicity

Acute toxicity

: Not Rated

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:	
Acute oral toxicity :	LD50 Oral (Rat): 2.870 mg/kg Method: OECD Test Guideline 401
	LD50 (Rat): 7.400 mg/kg Method: OECD Test Guideline 401
	LD50 (Rat): 2.000 - 5.000 mg/kg Method: OECD Test Guideline 401
	LD50 (Rat): > 2.000 mg/kg
Acute dermal toxicity :	LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 GLP: yes

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., hydroxides, inner salts

147170-44-3:

Acute oral toxicity

: LD50 Oral (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401



		Order number: 0712577	
sion 8.6		Revision Date 09.04.2023	Print Date 25.04.2
		LD50 Oral (Rat): 2.335 mg/kg	
		ED50 Ofai (Rat). 2.555 flig/kg	
		LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402	
Acute dermal toxicity	:	LD50 Dermal (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402	
D-Glucopyranose, oligom	eric, C10)-16-alkyl glycosides	
LAURYL GLUCOSIDE:			
Acute oral toxicity	:	LD50 Oral: > 5.000 mg/kg	
Acute dermal toxicity	:	LD50 Dermal (Rat): > 5.000 mg/kg Method: OECD Test Guideline 402	
Skin corrosion/irritation			
Product:			
Remarks	:	According to the classification criteria of t product is not considered as being a skin	
Components:			
Alcohols, C12-14, ethoxyl	atod cul	fatos sodium salts	
-	ateu, sui		
68891-38-3:			
Spanian		Dabhit	
Species Assessment	:	Rabbit Irritating to skin.	
Species Assessment Method	:	Rabbit Irritating to skin. OECD Test Guideline 404	
Assessment Method	o-N-(car	Irritating to skin.	d C18-unsatd. acyl) derivs.
Assessment Method 1-Propanaminium, 3-amin	o-N-(car	Irritating to skin. OECD Test Guideline 404	d C18-unsatd. acyl) derivs.
Assessment Method 1-Propanaminium, 3-amin hydroxides, inner salts 147170-44-3: Species	: : o-N-(car :	Irritating to skin. OECD Test Guideline 404 boxymethyl)-N,N-dimethyl-, N-(C8-18 and Rabbit	d C18-unsatd. acyl) derivs.
Assessment Method 1-Propanaminium, 3-amin hydroxides, inner salts 147170-44-3: Species Method	: : o-N-(car : :	Irritating to skin. OECD Test Guideline 404 boxymethyl)-N,N-dimethyl-, N-(C8-18 and Rabbit OECD Test Guideline 404	d C18-unsatd. acyl) derivs.
Assessment Method 1-Propanaminium, 3-amin hydroxides, inner salts 147170-44-3: Species	: • • • • •	Irritating to skin. OECD Test Guideline 404 boxymethyl)-N,N-dimethyl-, N-(C8-18 and Rabbit	d C18-unsatd. acyl) derivs.
Assessment Method 1-Propanaminium, 3-amin hydroxides, inner salts 147170-44-3: Species Method	:	Irritating to skin. OECD Test Guideline 404 boxymethyl)-N,N-dimethyl-, N-(C8-18 and Rabbit OECD Test Guideline 404	d C18-unsatd. acyl) derivs.
Assessment Method 1-Propanaminium, 3-amin hydroxides, inner salts 147170-44-3: Species Method Result	:	Irritating to skin. OECD Test Guideline 404 boxymethyl)-N,N-dimethyl-, N-(C8-18 and Rabbit OECD Test Guideline 404	d C18-unsatd. acyl) derivs.
Assessment Method 1-Propanaminium, 3-amin hydroxides, inner salts 147170-44-3: Species Method Result Serious eye damage/eye i	:	Irritating to skin. OECD Test Guideline 404 boxymethyl)-N,N-dimethyl-, N-(C8-18 and Rabbit OECD Test Guideline 404	d C18-unsatd. acyl) derivs.
Assessment Method 1-Propanaminium, 3-amin hydroxides, inner salts 147170-44-3: Species Method Result Serious eye damage/eye i <u>Product:</u>	:	Irritating to skin. OECD Test Guideline 404 boxymethyl)-N,N-dimethyl-, N-(C8-18 an Rabbit OECD Test Guideline 404 No skin irritation	d C18-unsatd. acyl) derivs.
Assessment Method 1-Propanaminium, 3-amin hydroxides, inner salts 147170-44-3: Species Method Result Serious eye damage/eye i <u>Product:</u> Remarks	rritation	Irritating to skin. OECD Test Guideline 404 boxymethyl)-N,N-dimethyl-, N-(C8-18 and Rabbit OECD Test Guideline 404 No skin irritation	d C18-unsatd. acyl) derivs.
Assessment Method 1-Propanaminium, 3-amin hydroxides, inner salts 147170-44-3: Species Method Result Serious eye damage/eye i <u>Product:</u> Remarks <u>Components:</u>	rritation	Irritating to skin. OECD Test Guideline 404 boxymethyl)-N,N-dimethyl-, N-(C8-18 and Rabbit OECD Test Guideline 404 No skin irritation	d C18-unsatd. acyl) derivs.
Assessment Method 1-Propanaminium, 3-amin hydroxides, inner salts 147170-44-3: Species Method Result Serious eye damage/eye i <u>Product:</u> Remarks <u>Components:</u> Alcohols, C12-14, ethoxyla	rritation	Irritating to skin. OECD Test Guideline 404 boxymethyl)-N,N-dimethyl-, N-(C8-18 and Rabbit OECD Test Guideline 404 No skin irritation Causes serious eye irritation. fates, sodium salts Rabbit	d C18-unsatd. acyl) derivs.
Assessment Method 1-Propanaminium, 3-amin hydroxides, inner salts 147170-44-3: Species Method Result Serious eye damage/eye i <u>Product:</u> Remarks <u>Components:</u> Alcohols, C12-14, ethoxyla 68891-38-3:	rritation	Irritating to skin. OECD Test Guideline 404 boxymethyl)-N,N-dimethyl-, N-(C8-18 and Rabbit OECD Test Guideline 404 No skin irritation Causes serious eye irritation.	d C18-unsatd. acyl) derivs.

147170-44-3:



Order number: 0712577 Revision Date 09.04.2023 Causes serious eye damage. Io data available es, sodium salts Does not cause skin sensitisation. kymethyl)-N,N-dimethyl-, N-(C8-18 and C1 Guinea pig DECD Test Guideline 406 lot a skin sensitizer. Iot Rated	Print Date 25.04.202 8-unsatd. acyl) derivs.,
Causes serious eye damage. lo data available es, sodium salts Does not cause skin sensitisation. kymethyl)-N,N-dimethyl-, N-(C8-18 and C1 Guinea pig DECD Test Guideline 406 lot a skin sensitizer.	
es, sodium salts Does not cause skin sensitisation. xymethyl)-N,N-dimethyl-, N-(C8-18 and C1 Guinea pig DECD Test Guideline 406 lot a skin sensitizer.	8-unsatd. acyl) derivs.,
es, sodium salts Does not cause skin sensitisation. xymethyl)-N,N-dimethyl-, N-(C8-18 and C1 Guinea pig DECD Test Guideline 406 lot a skin sensitizer.	8-unsatd. acyl) derivs.,
es, sodium salts Does not cause skin sensitisation. xymethyl)-N,N-dimethyl-, N-(C8-18 and C1 Guinea pig DECD Test Guideline 406 lot a skin sensitizer.	8-unsatd. acyl) derivs.,
Does not cause skin sensitisation. xymethyl)-N,N-dimethyl-, N-(C8-18 and C1 Guinea pig DECD Test Guideline 406 lot a skin sensitizer.	8-unsatd. acyl) derivs.,
Does not cause skin sensitisation. xymethyl)-N,N-dimethyl-, N-(C8-18 and C1 Guinea pig DECD Test Guideline 406 lot a skin sensitizer.	8-unsatd. acyl) derivs.,
xymethyl)-N,N-dimethyl-, N-(C8-18 and C1 Guinea pig DECD Test Guideline 406 lot a skin sensitizer.	8-unsatd. acyl) derivs.,
xymethyl)-N,N-dimethyl-, N-(C8-18 and C1 Guinea pig DECD Test Guideline 406 lot a skin sensitizer.	8-unsatd. acyl) derivs.,
Guinea pig DECD Test Guideline 406 lot a skin sensitizer.	8-unsatd. acyl) derivs.,
DECD Test Guideline 406 lot a skin sensitizer.	
DECD Test Guideline 406 lot a skin sensitizer.	
lot a skin sensitizer.	
lot Rated	
lot Rated	
es, sodium salts	
lethod: OECD Test Guideline 471 lesult: negative	
lot Rated	
lot Rated	
he substance or mixture is not classified as social social social social terms and the substance of the subs	specific target organ
he substance or mixture is not classified as social content of the substance or mixture is not classified as social content of the substance o	specific target organ
lot Rated	
	oxicant, single exposure. he substance or mixture is not classified as oxicant, repeated exposure.



WM	0713966
----	---------

Order number: 0712577

Version 8.6

Revision Date 09.04.2023

Print Date 25.04.2023

SECTION 12: Ecological information

12.1 Toxicity		
<u>Components:</u>		
<u>68891-38-3:</u>		
Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 7,1 mg/l Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203 GLP: yes
		LC50 (Fish): > 1 - 10 mg/l Test Type: semi-static test Method: OECD Test Guideline 203
		LC50 (Leuciscus idus (Golden orfe)): 10 - 100 mg/l Method: OECD Test Guideline 203
		NOEC (Oncorhynchus mykiss (rainbow trout)): 0,14 mg/l Exposure time: 28 d Test Type: flow-through test Method: OECD Test Guideline 204
		LC50 (Brachydanio rerio (zebrafish)): 1 - 10 mg/l Test Type: flow-through test Method: OECD Test Guideline 203
		LC50 (Brachydanio rerio (zebrafish)): 7,1 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia pulex (Water flea)): 7,4 mg/l Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202
		EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
		NOEC (Daphnia magna (Water flea)): 0,27 mg/l Exposure time: 21 d Test Type: flow-through test Method: OECD Test Guideline 211
		(Daphnia magna (Water flea)): 7,2 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): 27,7 mg/l Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201



VM 0713966		Order number: 0712577	
ersion 8.6		Revision Date 09.04.2023	Print Date 25.04.2023
		GLP: yes	
		EC50 (Scenedesmus subspicatus): 10 Method: OECD Test Guideline 201	- 100 mg/l
		EC50 (Desmodesmus subspicatus (gre mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201	een algae)): > 10 - 100
		NOEC : 0,95 mg/l Test Type: Growth inhibition Method: OECD Test Guideline 201	
		NOEC (Desmodesmus subspicatus (gr Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201	reen algae)): 0,93 mg/l
Toxicity to microorganisms	:	EC50 (Pseudomonas putida): > 10 g/l Exposure time: 16 h Test Type: Cell multiplication inhibition Method: DIN 38412 GLP: yes	test
		EC10 (Pseudomonas putida): > 10 g/l Test Type: Cell multiplication inhibition	test
Toxicity to fish (Chronic toxicity)	:	NOEC: 1 - 10 mg/l Species: Leuciscus idus (Golden orfe)	
		NOEC: 0,14 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rainbo Method: OECD Test Guideline 204	ow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: > 0,1 - 1 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211	
Toxicity to soil dwelling organisms	:	NOEC: 750 mg/kg Exposure time: 96 d Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 222	
147170-44-3:			
Toxicity to fish	:	LC50 (Pimephales promelas (fathead r Exposure time: 96 h Method: OECD Test Guideline 203	minnow)): 2 mg/l



WM 0713966		Order number: 0712577
Version 8.6		Revision Date 09.04.2023 Print Date 25.04.2023
		LC50 (Brachydanio rerio): > 1 - 10 mg/l Method: ISO 7346/2
		NOEC (Oncorhynchus mykiss (rainbow trout)): > 0,1 - 1 mg/l
		LC50 (Fish): 1,1 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1 - 10 mg/l Method: OECD Test Guideline 202
		NOEC (Daphnia magna (Water flea)): > 0,1 - 1 mg/l Method: OECD Test Guideline 211
Toxicity to algae/aquatic	:	EC50 (Desmodesmus subspicatus (green algae)): > 1 - 10
plants		mg/l Method: OECD Test Guideline 201
		ErC50 (algae): 2,4 mg/l
Toxicity to microorganisms	:	EC0 (Pseudomonas putida): > 100 mg/l Method: OECD Test Guideline 209
Toxicity to fish (Chronic toxicity)	:	NOEC: > 0,1 - 1 mg/l Species: Oncorhynchus mykiss (rainbow trout) Method: OECD Test Guideline 210
		NOEC: 0,135 mg/l
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: > 0,1 - 1 mg/l Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211
LAURYL GLUCOSIDE:		
Toxicity to fish	:	LC50 (Fish): > 1 - 10 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
		LC50 (Brachydanio rerio (zebrafish)): 2,95 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
		LC50 (Danio rerio (zebra fish)): 5,9 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): > 10 - 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
		EC50 (Daphnia magna (Water flea)): 7 mg/l Exposure time: 48 h
Toxicity to algae/aquatic	:	EC50 : > 10 - 100 mg/l



plants Toxicity to microorganisms Toxicity to fish (Chronic toxicity)	:	Revision Date 09.04.2023 Exposure time: 72 h Method: OECD Test Guideline 201 EC50 (Desmodesmus subspicatus (greet Exposure time: 72 h Method: OECD Test Guideline 201 EC0 (Pseudomonas putida): > 100 mg/l Exposure time: 16 h Method: DIN 38412	Print Date 25.04.2023 n algae)): 12,5 mg/l
Toxicity to microorganisms Toxicity to fish (Chronic	:	Method: OECD Test Guideline 201 EC50 (Desmodesmus subspicatus (green Exposure time: 72 h Method: OECD Test Guideline 201 EC0 (Pseudomonas putida): > 100 mg/l Exposure time: 16 h	n algae)): 12,5 mg/l
Toxicity to fish (Chronic	:	Exposure time: 72 h Method: OECD Test Guideline 201 EC0 (Pseudomonas putida): > 100 mg/l Exposure time: 16 h	n algae)): 12,5 mg/l
Toxicity to fish (Chronic	:	Exposure time: 16 h	
	:		
		NOEC: > 1 mg/l Exposure time: 28 d Species: Brachydanio rerio Method: OECD Test Guideline 204	
		NOEC: 1,8 mg/l Exposure time: 28 d Species: Brachydanio rerio Method: OECD Test Guideline 204	
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: > 1 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: see user defined free text	
		EC10: 1,76 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 202	
.2 Persistence and degradabil	ity		
Product:			
Biodegradability	:	Remarks: The surfactant(s) contained in complies (comply) with the biodegradabil down in Regulation (EC) No. 648/2004 or	ity criteria as laid
Components:			
68891-38-3:			
Biodegradability	:	Test Type: aerobic Result: rapidly biodegradable Biodegradation: > 70 % Exposure time: 28 d Method: OECD 301 A	
		Test Type: anaerobic Result: Biodegradable Biodegradation: > 60 % Exposure time: 41 d	
147170-44-3:			



	-		
WM 0713966		Order number: 0712577	
Version 8.6		Revision Date 09.04.2023	Print Date 25.04.2023
Biodegradability	:	Result: rapidly biodegradable Biodegradation: 86 % Method: OECD 301 D	
Biochemical Oxygen Demand (BOD)	:	365 mg/g Method: see user defined free text	
Chemical Oxygen Demand (COD)	:	704 mg/g Method: DIN 38409-H-41	
LAURYL GLUCOSIDE:			
Biodegradability	:	Result: rapidly biodegradable Method: OECD Test Guideline 301	
		Biodegradation: > 99,4 % Exposure time: 28 d	
12.3 Bioaccumulative potentia	I		
Components:			
68891-38-3:			
Bioaccumulation	:	Remarks: Bioaccumulation is unlikely.	
LAURYL GLUCOSIDE:			
Partition coefficient: n- octanol/water	:	log Pow: < -0,07 (20 °C)	
12.4 Mobility in soil No data available			
12.5 Results of PBT and vPvB	asse	ssment	
Components:			
68891-38-3:			
Assessment	:	This substance is not considered to be very bioaccumulating (vPvB) This sub considered to be persistent, bioaccumu	stance is not
12.6 Endocrine disrupting pro	pertie	25	
No data available			
12.7 Other adverse effects			
Product:			
Additional ecological information	:	There is no data available for this produ	uct.



WM	0713966
----	---------

Order number: 0712577

Version 8.6	Revision Date 09.04.2023	Print Date 25.04.2023			
SECTION 13: Disposal considerations					

13.1 Waste treatment methods

Product	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. In accordance with local and national regulations.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR Not dangerous goods IMDG Not dangerous goods IATA Not dangerous goods

14.2 UN proper shipping name Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR Not dangerous goods IMDG Not dangerous goods IATA Not dangerous goods

14.4 Packing group

ADR Not dangerous goods IMDG Not dangerous goods IATA Not dangerous goods

14.5 Environmental hazards

ADR Not dangerous goods IMDG Not regulated as a dangerous good IATA Not dangerous goods

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied.



|--|

chemicals

Order number: 0712577

Version 8.6	Revision Date 09.04.2023	Print Date 25.04.2023		
SECTION 15: Regulatory information				
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
	9/2012 of the European Parliament and : Not applicate the export and import of dangerous	able		

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)

: See Annex XVII to Regulation (EC) no 1907/2006 for Conditions of restriction

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	ot applicable	
TA Luft List (Germany)	al dust: Not applicable rganic substances in powdered form: Not a rganic substances in vapour or gaseous fo 5 % ganic Substances: Not applicable rcinogenic substances: Not applicable tagenic: Not applicable sic to reproduction: Not applicable	••
Volatile organic compounds (VOC) content	ective 2010/75/EU of 24 November 2010 c egrated pollution prevention and control) date: Not applicable	n industrial emissions
according to Detergents Regulation EC 648/2004	<15% Anionic surfactants, <5% Amphoter factants, SODIUM BENZOATE	ic surfactants, Non-ionic
GISBAU (D)	30	

15.2 Chemical safety assessment

There is no data available for this product.

SECTION 16: Other information

H315 H318 H412	: : :	Causes skin irritation. Causes serious eye damage. Harmful to aquatic life with long lasting effects.
Full text of other abbreviations		
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC -Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR -



50000001565

MANUDISH ORIGINAL

WM 0713966	Order number: 0712577	
Version 8.6	Revision Date 09.04.2023	Print Date 25.04.2023

Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:	
Eye Irrit. 2	H319

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Classification procedure:

Calculation method

REG_EU / EN